Programmable Controllers

COMPANY
TECO ELECTRIC & MACHINERY CO LTD
INDUSTRIAL PRODUCTS &
SYSTEM AUTOMATION
10TH FL 3-1 YUAN CYU ST NAN-KANG
TAIPEI, 115 Taiwan

E205406

Trademark and/or Tradename: ,
Note: For additional marking information, refer to the Guide Information Page

View model for additional information

Accessory Open type, Model(s): *BANNER BSP02 Series* Models P BSP02, followed by - X4O4R, -X4O4T, -X4O4P, X8, XO8T, -XO8P - XO8R, -2DA, X2AD1DA, - X4PT, - X4PT-K, - X4TC, -8AD, - X8O8R, - X8O8T, - X16, - X16O16R, - X16O16T, - X16O16P follow by A, blank.

Accessory Open type, Model(s): *WEG TPW04 Serie, Models TPW04* followed by -8EMR, -8EMT/EMP, 8EXD, 8EYT/EYP, -8EYR, -2DA, 3MA, -4RD, -4RD-K, -4TM, -8AD, -16EMR, -16EMT, -16EMP, -16EXD -32EMR, -32EMT, -32EMP follow by A, D or blank.

Human machine interfaces, Model(s): *0P36D*, *MV-0P05*, *MV-0P06*, *MV-0P36D*, *MV-OP01*, *MV-OP16L*, *MV-OP26L*, *MV-OP36L*, *MV-OP66D*, *MV-OP66T*, *NWOP01*, *NWOP05*, *NWOP06*, *NWOP16L*, *NWOP26L*, *NWOP36D*, *NWOP36L*, *NWOP66D*, *NWOP66T*, *OP01*, *OP05*, *OP06*, *OP07*, *OP08*, *OP16L*, *OP26L*, *OP36L*, *OP66D*, *OP66T*, *PWS 1711-STN*, *PWS 1760-CTN*, *PWS 3720-DTN*, *PWS 3720-TFT*, *PWS 500S-LED*, *PWS 700T-STN*, *TPW03-OP07*, *TPW03-OP08*

Industrial control equipment-programmable logic controllers, open type, Model(s): *MB-16EMR*, *MB-16EXD*, *MB-16EYP*, *MB-16EYR*, *MB-16EYT*, *MB-20MP*, *MB-20MPD*, *MB-20MR*, *MB-20MRD*, *MB-20MT*, *MB-28MP*, *MB-28MPD*, *MB-28MR*, *MB-28MRD*, *MB-28MT*, *MB-2DA*, *MB-2DA+*, *MB-32EMP*, *MB-32EMR*, *MB-32EMT*, *MB-40MP*, *MB-40MPD*, *MB-40MR*, *MB-40MRD*, *MB-40MT*, *MB-4AD*, *MB-4AD+*, *MB-4RD*, *MB-4TM*, *MB-4TM+*, *MB-60MP*, *MB-60MPD*, *MB-60MR*, *MB-60MRD*, *MB-60MT*, *TP02-16EMR*, *TP02-16EXD*, *TP02-16EYP*, *TP02-16EYR*, *TP02-16EYT*, *TP02-20MP*, *TP02-20MPD*, *TP02-20MR*, *TP02-20MRD*, *TP02-20MT*, *TP02-28MP*, *TP02-28MPD*, *TP02-28MR*, *TP02-28MRD*, *TP02-28MT*, *TP02-2DA*, *TP02-2DA+*, *TP02-32EMP*, *TP02-32EMR*, *TP02-32EMT*, *TP02-40MP*, *TP02-40MPD*, *TP02-40MR*, *TP02-40MRD*, *TP02-40MT*, *TP02-4AD*, *TP02-4AD+*, *TP02-4RD*, *TP02-4TM*, *TP02-60MP*, *TP02-60MPD*, *TP02-60MR*, *TP02-60MRD*, *TP02-60MT*, *TP03-16EMR**, *TP03-16EMT**, *TP03-16EXD**, *TP03-16EYR**, *TP03-16EYT**, *TP03-2DA**, *TP03-3MA**, *TP03-4RD-K**, *TP03-4RD**, *TP03-4TM**, *TP03-8AD**, *TPW03-16EMR**, *TPW03-16EMT**, *TPW03-16EXD**, *TPW03-16EYR**, *TPW03-16EYT**, *TPW03-2DA**, *TPW03-3MA**, *TPW03-4RD-K**, *TPW03-4RD**, *TPW03-4TM**, *TPW03-8AD**

Industrial control equipment-programmable logic controllers, open type, Model(s): *AP or APK, followed by 1, 2, or 3* followed by 60, 40, 32, 30, 24, 20, 14 or 10, followed by BR, BT, or BP followed by A or D, maybe followed by X, where X may be any alphanumeric character or blank.

Industrial control equipment-programmable logic controllers, open type, Model(s): *TP03* followed by 60, 40, 36, 30, 26, 20 or 14, followed by H, M or S, followed by R or T, followed by A or D.*

Industrial control equipment-programmable logic controllers, open type, Model(s): *TPW03* followed by 60, 40, 36, 30, 26, 20 or 14, followed by H, M or S, followed by R or T, followed by A or D.*

Industrial switch power supplies, open type, Model(s): *10PS-12*, *10PS-24*, *10PS2-24*, *ABL7RM24025*, *ITM4C6E*, *LOGIC-10PS-24*, *PS06*, *TM101B1*

Open type, Programmable controllers, Model(s): *BANNER BSP02 Series, Models BSP02* follow by 1, 2, or 3 follow by 60, 40, 32, 30, 24, 20, 14 or 10 follow by AR, or AT, follow by blank or D , maybe followed by X, where X may be any alphanumeric character or blank.

Open type, Programmable controllers, Model(s): *WEG TPW04 Series* Models TPW04 follow by 1, 2, or 3 follow by 60, 40, 32, 30, 24, 20, 14 or 10 follow by BR, BT, or BP follow by A or D, maybe followed by X, where X may be any alphanumeric character or blank.

Programmable Controllers, Model(s): *16EYP*, *16EYR*, *16EYT*, *SG3-12HR-D*, *SG3-12HT-D*, *SG3-12KR-D*, *SG3-12KT-D*, *SG3-20HR-D*, *SG3-20HT-D*, *SG3-20KR-D*, *SG3-20KT-D*, *SG3-20VR-D*, *SG3-20VT-D*

Programmable Controllers, Model(s): *SG3* Models SG3, followed by 8ER-A, 8ER-D, 8ET-D, 8ER-24A, 8ER-12D, 2AO, 4PT, 4AI, MBUS, PBUS, DNET, EN01

Programmable logic controller accessories, Model(s): *TPW03-01SPS-A*, *TPW03-OP10*, *TPW03-OP10N*

Programmable logic controllers, Model(s): *CE* followed by 8, 10, 12 or 20, followed by H, C, K, V or E, followed by R or T, followed by A, D, 24A or 12D, may be followed by A - E or blank.

Programmable logic controllers, Model(s): *CLW-02* followed by 8, 10, 12 or 20, followed by H, C, K, V or E, followed by R or T, followed by A, D, 24A or 12D.

Programmable logic controllers, Model(s): *LOGIC* followed by 8, 10, 12 or 20, followed by H, C, K, V or E, followed by R or T, followed by A, D, 24A or 12D, may be followed by A - E or blank.

Programmable logic controllers, Model(s): *SG2* followed by 8, 10, 12 or 20, followed by H, C, K, V or E, followed by R or T, followed by A, D, 24A or 12D, may be followed by A - E or blank.

Programmable logic controllers accessories, Model(s): *AP 8EXD*, *AP 8EYT/EYP*, *AP-8EMT/EMP*, *AP-8EYR*, *OP10*, *TP03-01SPS-A*

Programmable logic controllers accessories, Model(s): *AP or APK* followed by -8EMR, AP-8EMT/EMP, AP 8EXD, AP 8EYT/EYP, AP-8EYR, -2DA, 3MA, -4RD, -4RD-K, -4TM, -8AD, -16EMR, -16EMT, -16EMP, -16EXD -32EMR, -32EMT, -32EMP follow by A, D or blank.

Programmable Logic Controllers Accessory, Model(s): *AP* followed by -8EMR, -8EMT/EMP, 8EXD, 8EYT/EYP, -8EYR, -2DA, 3MA, -4RD, -4RD-K, -4TM, -8AD, -8AD-H -16EMR, -16EMT, -16EMP, -16EXD -32EMR, -32EMT, -32EMP follow by A, D or blank

Programmable Logic Controllers Accessory, Model(s): *APK* followed by -8EMR, -8EMT/EMP, 8EXD, 8EYT/EYP, -8EYR, -2DA, 3MA, -4RD, -4RD-K, -4TM, -8AD, -16EMR, -16EMT, -16EMP, -16EXD -32EMR, -32EMT, -32EMP follow by A, D or blank

Programmable logic controllers optional modules, Model(s): *JN5-CM-CAN*, *JN5-CM-DNET*, *JN5-CM-PDP*, *JN5-CM-TCPIP*

Programmable logic controllers optional modules, Model(s): *JNSIF* followed by DNET PBUS or EN, followed by 01 thru 05.

Programmable logic controllers optional modules, Model(s): *SG2, LOGIC, CLW-02 or TPW03* followed by MBUS, 4AI, DNET, PBUS, EN01, 2AO or 4PT

Programmable logic controllers optional modules, Model(s): *TP03* followed by DNET PBUS or EN, followed by 01 thru 05.

Programmable logic controllers, open type, Model(s): *10AR-D*, *10AT-D*, *10HR-12D*, *10HR-24A*, *10HR-A*, *10HR-D*, *10HT-D*, *10KR-A*, *10KR-D*, *10MR-12D*, *10MR-A*, *10MR-D*, *10MT-D*, *10NR-A*, *10NR-D*, *20HR-24A*, *20HR-A*, *20HR-D*, *20MR-A*, *20MR-D*, *SR1470R*, *SR1470T*, *SR1A101BD*, *SR1A101FU*, *SR1A201BD*, *SR1A201FU*, *SR1B101B*, *SR1B101FU*, *SR1B121BD*, *SR1B122BD*, *SR1B201B*, *SR1B201BD*, *SR1B201FU*, *SR1D101BD*, *SR1D101FU*, *SR1D121BD*, *SR1E101FU*, *SR1E121BD*

* - May be followed by P.
*

Last Updated on 2026-06-12

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."